

Marmol

Porcelain

MÁRMOL | PORCELÁNICO ESMALTADO
MARBLE | GLAZED PORCELAIN TILES MARBRE |
GRES CERAME EMAILLÉ MARMOR |
GLASIERTES FEINSTEINZEUG MPRAMOR |
КЕРАМОГРАНИТ ГЛАЗУРОВАННЫЙ

32x62,5 cm / 12,6"x24,6"



G8021 Giorbello Marmol Natural 32x62,5 cm / 12,6"x24,6"



G8022 Giorbello Marmol Sliver 32x62,5 cm / 12,6"x24,6"

Giorbello

MÁRMOL | PORCELÁNICO ESMALTADO
MARBLE | GLAZED PORCELAIN TILES MARBRE |
GRES CERAME EMAILLÉ MARMOR |
GLASIERTES FEINSTEINZEUG MARMOR |
КЕРАМОГРАНИТ ГЛАЗУРОВАННЫЙ

Marmol
Porcelain

32x62,5 cm / 12,6"x24,6"



G8021 Giorbello Marmol Natural 32x62,5 cm / 12,6"x24,6" · G8021-D Giorbello Marmol Deco Natural 32x62,5 cm / 12,6"x24,6"



G8020 Giorbello Marmol Ivory 32x62,5 cm / 12,6"x24,6" ·
G8021-D Giorbello Marmol Ivory 32x62,5 cm / 12,6"x24,6"



G8022 Giorbello Marmol Sliver 32x62,5 cm / 12,6"x24,6"
G8022-D Giorbello Marmol Deco Sliver 32x62,5 cm /
12,6"x24,6"

Giorbello.com



G8021 Giorbello Marmol Natural 32x62,5 cm / 12,6"x24,6" · G8021-D Giorbello Marmol Deco Natural 32x62,5 cm / 12,6"x24,6"

Giorbello


MÁRMOL | PORCELÁNICO ESMALTADO
 MARBLE | GLAZED PORCELAIN TILES MARBRE |
 GRES CERAME EMAILLÉ MARMOR |
 GLASIERTES FEINSTEINZEUG MARMOR |
 КЕРАМОГРАНИТ ГЛАЗУРОВАННЫЙ



G8020 Giorbello Marmol Ivory
 32x62,5 / 12,6"x24,6"




G8021 Giorbello Marmol Natural
 32x62,5 / 12,6"x24,6"



G8022 Giorbello Marmol Sliver
 32x62,5 / 12,6"x24,6"

32x62,5 cm / 12,6"x24,6"



G8020-D Giorbello Marmol Deco Ivory
 32x62,5 / 12,6"x24,6"




G8021-D Giorbello Marmol Deco Natural
 32x62,5 / 12,6"x24,6"



G8022-D Giorbello Marmol Deco Sliver
 32x62,5 / 12,6"x24,6"

Marmol
 Porcelain



CARACTERÍSTICAS TÉCNICAS
 TECHNICAL DATA
 CARACTÉRISTIQUES
 TECHNIQUES TECHNISCHE
 CHARAKTERISTIKEN
 ТЕХНИЧЕСКАЯ
 ХАРАКТЕРИСТИКА

COLOR COLOUR	FLEXIÓN BENDING ISO-10545-4	DUREZA HARDNESS MOHS/EN-101	ABRASIÓN-PEI ABRASION-PEI ISO-10545-7	CUARTEO CRAZING ISO-10545-11	RESISTENCIA AL ATAQUE QUÍMICO CHEMICAL ATTACK RESISTANCE				R. HELADA FROST RESISTANCE ISO-10545-12	DESGLIZAMIENTO O SLIP RESISTANCE DIN 51130-R	DESGLIZAMIENTO SLIP RESISTANCE UNE-ENV 12633	DCOF ANSI A137.1	CLASIFICAC IÓN GROUP Giorbello
					MANCHA S STAINS	AG. LIMPIEZA CLEANING AG.	ADIT. PISCINAS POOL ADDIT.	ACIDOS/BASES ACIDS/BASES					
PALATINO IVORY	≥ 35	6	IV	CUMPLE	5	A	A	LA/HA	CUMPLE	R-9	C1	0,42 ≤ DCOF < 0,60	D
DECO PALATINO IVORY	≥ 35	6	-	CUMPLE	5	A	A	LA/HA	CUMPLE	-	-	-	W
PALATINO NATURAL	≥ 35	6	IV	CUMPLE	5	A	A	LA/HA	CUMPLE	R-9	C1	0,42 ≤ DCOF < 0,60	D
DECO PALATINO NATURAL	≥ 35	6	-	CUMPLE	5	A	A	LA/HA	CUMPLE	-	-	-	W
PALATINO SILVER	≥ 35	6	IV	CUMPLE	5	A	A	LA/HA	CUMPLE	R-9	C1	0,42 ≤ DCOF < 0,60	D
DECO PALATINO SILVER	≥ 35	6	-	CUMPLE	5	A	A	LA/HA	CUMPLE	-	-	-	W

DESARROLLO GRÁFICO
 GRAPHIC DEVELOPMENT
 DÉVELOPPEMENT GRAPHIQUE
 GRAFISCHE VIELFALT
 ГРАФИЧЕСКОЕ РАЗВИТИЕ

32x62,5 / 20 patterns

PACKING LIST

FORMATO SIZE	ESPEJOR THICKNESS	ARTÍCULO ARTICLE	PZS / CJ PCS / BOX	M2 / CJ SQM / BOX	CJ / PAL BOX / PAL	M2 / PAL SQM / PAL	KG / PZA KG / PIECE	KG / CJ KG / BOX	KG / M2 KG / SQM	KG / PAL KG / PAL
32x62,5	9,0	Marmol	5	1	48	48	3,9	19,9	19,9	955